

江苏华昌铝厂有限公司

隔热条标准图集

修改记录;

2019-12-18 修改 C18.6壁厚改为1.8

2020.10.06 修改 更改名称

2023-09-01 修改 I30壁厚改为2.0

















2023-09-01 修改 014.8壁厚改为1.6

工程技术部

















2019年8月28日

伟昌铝材隔热条规格图集

伟昌铝材隔热条规格图集

| 隔热条编号 名称规格 理论重量 (kg/m) | 截面 | 隔热条编号 名称规格 理论重量 (kg/m) | 截面 |
|--|---|--|---|
| HG017 I18.6 0.055 kg/m 双条理论重量 0.110 |  | HG070 CU20 0.097 kg/m |  |
| HG018 C18.6 0.064 kg/m 双条理论重量 0.128 |  <p>2019-12-18 修改 壁厚改为1.8</p> | HG025 I22 0.066 kg/m |  |
| HG019 T18.6 0.072 kg/m |  <p>2020.10.06 修改 原编号 IT18.6改为T18.6</p> | HG026 C22 0.077 kg/m 双条理论重量 0.154 |  |
| HG020 TP18.6 0.075 kg/m |  | HG027 I24 0.071 kg/m 双条理论重量 0.142 |  |
| HG021 I20 0.062 kg/m 双条理论重量 0.124 |  | HG028 C24 0.082 kg/m 双条理论重量 0.164 |  |
| HG022 C20 0.069 kg/m 双条理论重量 0.138 |  | HG029 CF24 0.092 kg/m |  |
| HG023 T20 0.081 kg/m |  <p>2020.10.06 修改 原编号 IT20改为T20</p> | HG030 CFA24 0.092 kg/m |  <p>2020.10.06 修改 原编号 CF24A改为CFA24</p> |
| HG024 TP20 0.080 kg/m |  <p>2020.10.06 修改 原编号 IT20-1改为TP20</p> | |  <p>0.153 kg/m</p> |

伟昌铝材隔热条规格图集

| 隔热条编号 名称规格 理论重量 (kg/m) | 截面 | 隔热条编号 名称规格 理论重量 (kg/m) | 截面 |
|--------------------------------|--|--|--|
| HG031 T24 0.086 kg/m |  <p>2020.10.06 修改 原编号 IT24改为T24</p> | HG039 CTP25 0.099 kg/m |  <p>2020.10.06 修改 原编号 CT25改为CTP25</p> |
| HG032 TP24 0.086 kg/m |  <p>2020.10.06 修改 原编号 IT24-1改为TP24</p> | HG040 I25.3 0.0755 kg/m |  |
| HG033 CTP24 0.090 kg/m |  <p>2020.10.06 修改 原编号 CT24改为CTP24</p> | HG041 C25.3 0.0854 kg/m |  |
| HG034 CTP24-1 0.095 kg/m |  <p>2023.06.14 修改 原编号 CTB24改为CTP24-1</p> | HG042 CU25.3 CH25.3 0.105 kg/m |  |
| HG035 CT24 0.097 kg/m |  <p>2023.06.14 修改 原编号 CTC24改为CT24</p> | HG043 CT25.3 0.098 kg/m |  |
| HG036 CU24 0.106 kg/m |  | HG044 I26 0.077 kg/m 双条理论重量 0.154 |  |
| HG037 I25 0.075 kg/m |  | HG045 C26 0.086 kg/m 双条理论重量 0.172 |  |
| HG038 C25 0.084 kg/m |  | HG046 CT26 0.109 kg/m |  |

伟昌铝材隔热条规格图集

| 隔热条编号 名称规格 理论重量 (kg/m) | 截面 | 隔热条编号 名称规格 理论重量 (kg/m) | 截面 |
|--|----|--|----|
| HG047 CTP26 0.104 kg/m | | HG055 K30B 0.128 kg/m 融海 K30B | |
| HG048 I28 0.083 kg/m 双条理论重量 0.166 | | HG056 CT30 0.120 kg/m 2023.06.14 修改 原编号 CT30B改为CT30 | |
| HG049 C28 0.091 kg/m 双条理论重量 0.182 | | HG057 CTP30 0.115 kg/m 源发YF-30.0-CT1 | |
| HG050 I29 0.085 kg/m | | HG058 I32 0.099 kg/m 双条理论重量 0.198 | |
| HG051 C29 0.096 kg/m | | HG059 C32 0.101kg/m | |
| HG052 CU29 0.118 kg/m 信高 CG29 | | HG060 I34 0.102 kg/m 双条理论重量 0.204 | |
| HG053 I30 0.088 kg/m 双条理论重量 0.176 | | HG061 C34 0.112 kg/m 双条理论重量 0.224 | |
| HG054 C30 0.096 kg/m 双条理论重量 0.192 | | HG062 CK34 0.160 kg/m 源发 YF-34.0-K2 | |

伟昌铝材隔热条规格图集

| 隔热条编号 名称规格 理论重量 (kg/m) | 截面 | 隔热条编号 名称规格 理论重量 (kg/m) | 截面 |
|--|----|------------------------------|----|
| HG063 CF34 0.119kg/m 优泰YT-CF34*11.4 | | | |
| HG064 CTP34 0.122 kg/m 优泰YT-CI34*13.1 | | | |
| HG065 C35 0.110 kg/m 双条理论重量 0.221 | | | |
| HG066 HK35.3*6.3 0.116 kg/m | | | |
| HG067 HK35.3*13.7 0.150 kg/m | | | |
| HG068 HK35.3*11.2 0.136 kg/m | | | |
| HG069 C40 0.125 kg/m 双条理论重量 0.25 | | | |
| | | | |